









**TELTONIKA** | Telematics  
**FMB640**  
GSM/GNSS/BLE TERMINAL

Nominal power output: 30 dBm (3W)  
Nominal power consumption: 1.5W (300 mA)

www.teltonika.lt  
www.teltonika.com  
www.teltonika.com



Part 1  
RC22UR-INS

Part 2  
RC22R

FOR DELIVER



240 right





**TELTONIKA** | Telematics  
**FMB920**

**GSM/GPRS/GPS TERMINAL**

- ⊙ Pin1 45-30V DC
- ⊙ Pin2 GND
- ⊙ Pin3 GND
- ⊙ Pin4 GND
- ⊙ Pin5 GND
- ⊙ Pin6 GND
- ⊙ Pin7 GND

Power supply: 6-30V DC Max.  
Internal Lithium battery 3.7V, 170mAh  
Made in Lithuania  
Sales point: Tel: +370 7 2111111, www.teltonika.lt  
www.teltonika.lt



QR CODE FOR IDENTIFICATION  
QR CODE FOR MOUNTING

INSTALL THIS SIDE UP



10 YR (15-153)



10 YR (15-153)



10 YR (15-153)



10 YR (15-153)

Navigation LTD

10 YR (15-153)

10 YR (15-153)

10 YR (15-153)

10 YR (15-153)

**TELTONIKA** | Telematics  
**FMB120**

GSM/GNSS/BLE TERMINAL

Power supply: 10 - 30 V DC, 1.5 A MAX  
Internal Li-Ion battery 3.7 V, 170 mAh



Made in Lithuania  
Cilveikų g. 9A-1  
LT-08105, Vilnius, Lithuania  
[www.teltonika-gps.com](http://www.teltonika-gps.com)

10R-060029

PP300152

MONITOR DIN 11  
DIN 2  
DIN 3/AIN 2



INPUT 5  
1-WIRE DATA  
1-WIRE POWER

AIN 1  
+10...30 V DC  
MOUNT  
THIS SIDE UP



Navigation LED  
Status LED

















